Exhibit A

PubMed

Search: Pawlowski[Author] AND 1987(Publication Dain) AND "Int J Dermatof (Jou

U.S. National Library of Medicine National institutes of Health

Display Sellings: Abstract

We found 1 article in int J Dermatol 1987 by Pawlowski:

Int J Dermaloi, 1987 Sep;28(7):453-8.

PMID: 3654039 [PubMed - Indexed for MEDLINE]

Human tattoo. Electron microscopic assessment of epidermis, epidermal-dermal junction, and dermis.

Lea PJ. Pawlowski A.

Department of Anatomy, University of Toronto, Faculty of Medicine, Ontarto, Canada.

Abstract

Ultrathin serial sections of human biopsy specimens, taken at 24 hours, 1 month, and 1, 3, and 40 years post-tettoolng were examined under the electron microscope. The link particles found in cells were measured and compared with control link particles embadded in agar. Freshly taltooed skin showed an inflammatory reaction followed by ultrastructural nacrosis. The time of healing, about 1 month from introduction of link to complete healing, has been divided into three phases; inflammatory reaction and necrosis, formation of basement membrane, and normal epidermis and dermis. Once the skin showed normal ultrastructure, link particles were found only in dermal fibroblasts.

MeSH Terme	ndykodali dzarocznim półna złyszam (preschyra, jyna o reskida	elo kad kilakikan jua mitos na pasagan pagama di 2000	in resource. All accels over the forces where the
LinkOut - more resources			

09/01/2011

FROM : MAHELECET OR